


| | | | | |
|----|----------------|------|----------|--------|
| 8 | SHELL | 1 | BRASS | NICKEL |
| 7 | INSULATOR | 1 | TEFLON | NONE |
| 6 | GASKET | 1 | SILICONE | NONE |
| 5 | RETAINING RING | 1 | SK5 | NICKEL |
| 4 | WASHER | 1 | BRASS | NICKEL |
| 3 | INSULATOR | 1 | TEFLON | NONE |
| 2 | PIN | 1 | BRASS | GOLD |
| 1 | BODY | 1 | BRASS | NICKEL |
| NO | Description | Q'ty | Material | Finish |

| | | | | | | | | | |
|---|---|-----|------|----|---------------------|---|--|--|--|
| UNLESS OTHERWISE SPECIFIED | * MAJOR DIMENSION | | | | APPROVED |  | | | |
| 1.REMOVE ALL BURRS. 2.BREAK ALL CONNERS & EDGES CO.15 MAX. 3.CHAMFER 1ST & LAST THREADS 45°. 4.DIAMETERS ON COMMON CENTERS. TO BE CONCENTRIC WITHIN 0.1 T.I.R. 5.ALL DIMENSIONS ARE AFTER PLATING. | UNLESS OTHERWISE NOTED TOLERANCES 0.5-6=±0.2 6-30=±0.4 30-120=±0.6 120-315=±1.0 ANGLES=±1° | | | | Paul | TITLE SMA FEMALE TO RP-TNC MALE | | | |
| | | | | | CHECKED Harry | | | | |
| | | | | | DRAWN andrew | ADAPT/SMAF/TNCM-RP | | | |
| | SCALE | 5/2 | UNIT | MM | DRAWN DATE 03/06/20 | | | | |